

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9412	tire\$1 and (monitor\$3 or detect\$3 or sens\$3 or track\$3 or measur\$5 or determin\$3 or identify or recognize) near25 pressure\$1 and temperature\$1	US-PGPUB; USPAT	OR	ON	2008/05/18 13:51
L2	1981	1 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM") near15 ("predetermined time" or "predetermined period" or period\$6 or "time interval" or predetermined near5 period\$1 or time near5 interval)	US-PGPUB; USPAT	OR	ON	2008/05/18 13:55
L3	9	2 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM" or sensor\$1 or detect\$3 or module\$1) near25 ("next sampling" or next near5 sampling)	US-PGPUB; USPAT	OR	ON	2008/05/18 13:58
L4	2140	1 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM") near35 ("predetermined time" or "predetermined period" or period\$6 or "time interval" or predetermined near5 period\$1 or time near5	US-PGPUB; USPAT	OR	ON	2008/05/18 14:08

		interval)				
L5	9	4 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM" or sensor\$1 or detect\$3 or module\$1) near25 ("next sampling" or next near5 sampling)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:09
L6	1433	4 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM" or sensor\$1 or detect\$3 or module\$1) near25 (sequent\$1 or sequence \$1 or sequential\$2 or continuous or one after one or series) near25 (output\$4 or display\$3 or visual\$2 or "trouble signal" or indicat\$4 or alarm\$3 or alert\$3 or warn\$3)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:14
L7	399	4 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM" or sensor\$1 or detect\$3 or module\$1) near25 (sequent\$1 or sequence \$1 or sequential\$2 or continuous or "one after one" or series) near25 (output\$4 or display\$3 or visual\$2 or "trouble signal" or indicat\$4 or alarm\$3 or alert\$3 or warn\$3)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:15

L8	1	7 and (control\$4 or microcontrol\$4 or computer\$1 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "CPU" or "ECM" or sensor\$1 or detect\$3 or module\$1) near25 ("next sampling" or next near5 sampling)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:15
L9	1	5 and 7	US-PGPUB; USPAT	OR	ON	2008/05/18 14:25
L10	3	5 and (340/442 or 340/443)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:25
L11	2	5 and (340/4444 or 340/445)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:26
L12	5	5 and (340/447 or 340/448)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:26
L13	3	5 and (340/448 or 340/539.1)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:27
L14	0	5 and (340/825.69 or 340/825.72)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:28
L15	2320957	5 and 116/34 R	US-PGPUB; USPAT	OR	ON	2008/05/18 14:29
L16	0	5 and 116/34R	US-PGPUB; USPAT	OR	ON	2008/05/18 14:29
L17	2	5 and (73/146 or 73/146.2)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:30
L18	2	5 and (73/146.3 or 73/146.4)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:31
L19	2	5 and (73/146.5 or 73/146.6)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:32
L20	1	5 and (73/146.7 or 73/146.8)	US-PGPUB; USPAT	OR	ON	2008/05/18 14:32

L21	0	5 and 340/431	US- PGPUB; USPAT	OR	ON	2008/05/18 14:33
-----	---	---------------	------------------------	----	----	---------------------

5/ 18/ 2008 2:34:18 PM